

**Notice of Allowability**

Application No.

10/666,764

Applicant(s)

OHKUBO, NOBUHIRO

Examiner

Phillip Nguyen

Art Unit

2828

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/10/05.
2. ☒ The allowed claim(s) is/are 1-8.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All   b) ☐ Some\*   c) ☐ None   of the:
  1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 9/18/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

## **DETAILED ACTION**

### ***Allowable Subject Matter***

1. The following is an examiner's statement of reasons for allowance: Claims 1-8 are allowed because the prior art fail to teach or fairly suggest a semiconductor laser device as recited in the claim 1, especially with first impurity atoms of a second conductivity and second impurity atoms of the second conductivity exist mixedly in said active layer in the region near the end surface of the laser resonator, with concentration of said first impurity atoms being higher than that of the second impurity atoms.

Endo ('017) discloses the claimed invention a semiconductor laser as shown in Fig. 2 with the peak wavelength of photo luminescence in the active region near an end surface of a laser resonator being smaller than that of the active layer in an inner region of the laser resonator (col. 5, lines 13-24). However, Endo does not teach first and second impurity atoms exist mixedly in said active layer. In contrast, Endo discloses the thickness of the active in the near end region of the resonator being smaller than the inner region of the active layer.

Nomura et al. ('096) discloses the claimed invention as shown in Fig. 5 except for the active region being diffused with only one impurity atoms which is Zn, while the cladding layer being doped with two impurity atoms such as Mg and Zn, but not in the active region.

Art Unit: 2828

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### *Citation of Pertinent References*

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The patent to Endo discloses Quantum Well Semiconductor Laser, U.S. Patent No. 5524017

The patent to Nomura et al. discloses Nitride-Based... the Same, U.S. Patent No. 6928096

### *Communication Information*

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phillip Nguyen whose telephone number is 571-272-1947. The examiner can normally be reached on 9:00 AM - 6:00 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MINSUN HARVEY, can be reached on 571-272-1835. The fax phone number for the organization where this application or proceeding is assigned is **571-273-8300**.

Art Unit: 2828

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

pn

AU 2828

  
RECEIVED  
P. 11/1/2008